

Style.css:

```
body {
  font-family:Arial, sans-serif;
  margin: 0;
  padding: 0;
  display: flex;
  flex-direction: column;
  min-height: 100vh;
  background-color: #f8f6f2;
  color: #2d2d2d;
}

header {
  background:#b484db;
  color: white;
  padding: 15px;
  text-align: center;
}

nav ul {
  list-style-type: none;
  background-color: #3a1c71;
  padding: 0;
  margin: 0;
  overflow: hidden;
}

nav ul li {
  float: left;
}

nav ul li a {
  display: block;
  color: #f8f6f2;
  padding: 12px 18px;
  text-decoration: none;
}

nav ul li a:hover {
  background-color: #b993ff;
  color: #3a1c71;
}

.container {
  padding: 25px;
```

```

    flex: 1;
}

button {
  padding: 10px 18px;
  background: #5d119c;
  color: white;
  border: none;
  border-radius: 8px;
  cursor: pointer;
}

footer {
  background-color: #e9e3f5;
  text-align: center;
  padding: 12px;
  width: 100%;
}

```

Index.html:

```

<!DOCTYPE html>
<html>
<head>
  <title>Pine Valley Furniture</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

<header>
  <h1>Pine Valley Furniture</h1>
</header>

<nav>
  <ul>
    <li><a href="register.html">Customer Registration</a></li>
    <li><a href="search.html">Search Products</a></li>
    <li><a href="order.html">Cart</a></li>
    <li><a href="help.html">Help</a></li>
    <li><a href="employee_login.html">Employee Login</a></li>
    <li><a href="employee_dashboard.html">Employee Dashboard</a></li>
  </ul>
</nav>

<div class="container">
  <h2>Welcome to Pine Valley Furniture</h2>
  <p><a href="search.html"><button>Shop Now</button></a></p>

```

```
</div>
```

```
<div>
```

```
<p><a href="main.html">Back to Lab 1 Page</a></p>
```

```
</div>
```

```
<footer>
```

```
    Contact us: 0309-5878126 | Email: hania@gmail.com
```

```
</footer>
```

```
</body>
```

```
</html>
```

Register.html:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Customer Registration</title>
```

```
    <style>
```

```
        body {
```

```
            font-family: Arial;
```

```
            background-color: #f3efff;
```

```
            margin: 0;
```

```
        }
```

```
        header {
```

```
            background: #c099e0;
```

```
            color: white;
```

```
            text-align: center;
```

```
            padding: 10px;
```

```
        }
```

```
        nav ul {
```

```
            list-style-type: none;
```

```
            background-color: #3a1c71;
```

```
            margin: 0;
```

```
            padding: 0;
```

```
            display: flex;
```

```
            justify-content: center;
```

```
        }
```

```
        nav ul li {
```

```
            margin: 0;
```

```
        }
```

```
        nav ul li a {
```

```
            color: #f3efff;
```

```
            padding: 10px 15px;
```

```
            text-decoration: none;
```

```
        display: block;
    }
    nav ul li a:hover {
        background-color: #8e2de2;
    }
    .container {
        width: 300px;
        margin: 30px auto;
        background-color: white;
        padding: 15px;
    }
    label {
        display: block;
        margin-top: 10px;
        color: #3a1c71;
    }
    input, textarea {
        width: 100%;
        margin-top: 5px;
        margin-bottom: 10px;
    }
    button {
        width: 100%;
        padding: 8px;
        background: #530e8c;
        color: white;
        border: none;
    }
    footer {
        background-color: #e9e3f5;
        text-align: center;
        padding: 10px;
        margin-top: 20px;
        color: #3a1c71;
    }
</style>

</head>
<body>

<header>
    <h1>Customer Registration</h1>
</header>

<nav>
    <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="search.html">Search</a></li>
```

```
        <li><a href="help.html">Help</a></li>
    </ul>
</nav>

<div class="container">

    <form>

        <label>Name:</label>
        <input type="text" required>

        <label>Email:</label>
        <input type="email" required>

        <label>Password:</label>
        <input type="password" required>

        <label>Confirm Password:</label>
        <input type="password" required>

        <label>Address:</label>
        <textarea rows="2" required></textarea>

        <label>City:</label>
        <input type="text" required>

        <label>State:</label>
        <input type="text" required>

        <label>Postal Code:</label>
        <input type="text" required>

        <button type="submit">Submit</button>

    </form>

</div>

</body>
</html>
```

Search.html:

```
<!DOCTYPE html>
<html>
<head>
    <title>Search Products</title>
```

```

    <link rel="stylesheet" href="style.css">
</head>
<body>

<header><h1>Search Products</h1></header>

<nav>
  <ul>
    <li><a href="index.html">Home</a></li>
    <li><a href="register.html">Register</a></li>
    <li><a href="help.html">Help</a></li>
  </ul>
</nav>

<div class="container">

<form action="">

Search:
<input type="text"><br><br>

<h3>Categories</h3>

<input type="radio" name="cat" onclick="window.location.href='all.html'"> All<br>
<input type="radio" name="cat" onclick="window.location.href='chair.html'"> Chair<br>
<input type="radio" name="cat" onclick="window.location.href='table.html'"> Table<br>

</form>

</div>

</body>
</html>

```

all.html:

```

<!DOCTYPE html>
<html>
<head>
  <title>All Products</title>
  <style>
    body{
      font-family: Arial, sans-serif;
      margin: 20px;
    }
    h1{

```

```

        text-align: center;
        color:#780eb5;
    }
    h3{
        color: #5f4b8b;
    }
    button {
        padding: 5px 10px;
        background-color: #780eb5;
        color: white;
        border: none;
        cursor: pointer;
    }
</style>
</head>
<body>

    <h1>All Products</h1>

    <div>
        <h3>Office Chair</h3>
        <p>$120</p>
        <button>Add to Cart</button>
    </div>

    <div>
        <h3>Dining Table</h3>
        <p>$300</p>
        <button>Add to Cart</button>
    </div>

    <div>
        <h3>Queen Bed</h3>
        <p>$600</p>
        <button>Add to Cart</button>
    </div>

    <div>
        <a href="search.html">Back to Search</a>
    </div>

</body>
</html>

```

chair.html:

```
<!DOCTYPE html>
```

```
<html>
<head>
  <title>Chairs</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
    }
    h1 {
      text-align: center;
      color: #780eb5;
    }
    h3 {
      color: #5f4b8b;
    }
    button {
      padding: 5px 10px;
      background-color: #780eb5;
      color: white;
      border: none;
      cursor: pointer;
    }
  </style>
</head>
<body>

  <h1>Chair Products</h1>

  <div>
    <h3>Office Chair</h3>
    <p>$120</p>
    <button>Add to Cart</button>
  </div>

  <div>
    <h3>Dining Chair</h3>
    <p>$80</p>
    <button>Add to Cart</button>
  </div>

  <div>
    <a href="search.html">Back to Search</a>
  </div>

</body>
</html>
```

table.html:

```
<!DOCTYPE html>
<html>
<head>
  <title>Tables</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
    }
    h1 {
      text-align: center;
      color: #780eb5;
    }
    h3 {
      color: #5f4b8b;
    }
    button {
      padding: 5px 10px;
      background-color: #780eb5;
      color: white;
      border: none;
      cursor: pointer;
    }
  </style>
</head>
<body>

  <h1>Table Products</h1>

  <div>
    <h3>Dining Table</h3>
    <p>$300</p>
    <button>Add to Cart</button>
  </div>

  <div>
    <h3>Coffee Table</h3>
    <p>$150</p>
    <button>Add to Cart</button>
  </div>

  <div>
    <a href="search.html">Back to Search</a>
  </div>

</body>
```

```
</html>
```

employee_login.html:

```
<!DOCTYPE html>
<html>
<head>
  <title>Employee Login</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

<header>
  <h1>Employee Login</h1>
</header>

<div class="container">
  <form>
    Employee ID:
    <input type="text" name="emp_id">

    Password:
    <input type="password" name="password">

    <button type="submit">Login</button>
  </form>
  <p><a href="index.html">Back</a></p>
</div>

</body>
</html>
```

employee_dashboard.html:

```
<!DOCTYPE html>
<html>
<head>
  <title>Employee Dashboard</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

<header>
  <h1>Employee Dashboard</h1>
</header>
```

```
<nav>
  <ul>
    <li><a href="update.html">Update Product Catalog</a></li>
    <li><a href="index.html">Logout</a></li>
  </ul>
</nav>

<div class="container">
  <h3>Welcome Employee</h3>
</div>

</body>
</html>
```

update.html:

```
<!DOCTYPE html>
<html>
<head>
  <title>Update Catalog</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

<header><h1>Product Catalog Update</h1></header>
<div class="container">
Search Product:
<input type="text">
<h3>Edit Product</h3>
Name:
<input type="text">
Description:
<textarea></textarea>
Price:
<input type="text">
<button>Confirm Changes</button>

<p><a href="employee_dashboard.html">Back</a></p>
</div>

</body>
</html>
```

help.html:

```
<!DOCTYPE html>
```

```
<html>
<head>
  <title>Help</title>
  <link rel="stylesheet" href="style.css">
</head>
</head>
<body>

<header>
  <h1>Help & User Guide</h1>
</header>

<nav>
  <ul>
    <li><a href="index.html">Home</a></li>
    <li><a href="register.html">Register</a></li>
    <li><a href="search.html">Search</a></li>
    <li><a href="order.html">Order</a></li>
    <li><a href="employee_login.html">Employee</a></li>
  </ul>
</nav>

<div class="container">

<h3> New Customer Registration</h3>
<p>Customers can register by filling their name, address, city, state and postal code.</p>
<p><a href="register.html">Go to Registration Page</a></p>

<hr>

<h3> Search Products</h3>
<p>Users can search products by description and product line.</p>
<p><a href="search.html">Go to Search Page</a></p>

<hr>

<h3> Product Selection & Order Placement</h3>
<p>Customers can select products, enter quantity and place orders.</p>
<p><a href="order.html">Go to Order Page</a></p>

<hr>

<h3> Product Catalog Update</h3>
<p>Only employees can update product description, finish and price.</p>
<p><a href="employee_login.html">Employee Login</a></p>

<hr>
```

```
<h3> Payment Provision</h3>
<p>Customers can select payment method after placing order.</p>
<p><a href="payment.html">Go to Payment Page</a></p>

</div>

</body>
</html>
```

order.html:

```
<!DOCTYPE html>
<html>
<head>
  <title>Order Products</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
      background-color: #f4f4f4;
    }

    header {
      text-align: center;
      padding: 10px;
      background-color: #6c5a9a;
      color: white;
    }

    nav {
      text-align: center;
      margin: 15px 0;
    }

    nav a {
      margin: 0 10px;
      text-decoration: none;
      color: #333;
    }

    .total {
      font-weight: bold;
      text-align: center;
    }

    .paymentbutton{
```

```

        display: block;
        padding: 10px;
        background-color: #6c5a9a;
        color: white;
        text-align: center;
        text-decoration: none;
        margin: 15px auto;
    }
</style>
</head>
<body>

    <header>
        <h1>Your Cart</h1>
    </header>

    <nav>
        <a href="index.html">Home</a>
        <a href="search.html">Search</a>
    </nav>

    <div style="max-width: 400px; margin: 0 auto;">

        <div>
            <h3>Queen Bed</h3>
            <p>$600</p>
        </div>

        <div>
            <h3>Office Chair</h3>
            <p>$120</p>
        </div>

        <p class="total">Delivery Charges: $10</p>
        <p class="total">Total: $730</p>

        <a href="payment.html" class="paymentbutton">Proceed to Payment</a>

    </div>

</body>
</html>

```

payment.html:

```

<!DOCTYPE html>
<html>

```

```
<head>
  <title>Payment</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

<header><h1>Payment Options</h1></header>

<div class="container">

<input type="radio" name="pay"> Cash on Delivery<br>
<input type="radio" name="pay"> Credit/Debit Card<br>
<input type="radio" name="pay"> Other Wallet<br><br>

<button>Confirm Payment</button>
<p><a href="index.html">Back</a></p>
</div>

</body>
</html>
```
